



**James Lipon Dentistry**  
**201 – 11002, 104 Avenue**  
**Grande Prairie, Alberta**  
**T8V 7W5**

## **POST-OPERATIVE INSTRUCTIONS FOR MAXILLARY SINUS EXPOSURE**

You have an opening between your maxillary sinus and your oral cavity. Typically, these openings spontaneously heal. Sometimes, one or more corrective surgeries are necessary to correct this problem. If the following instructions are followed then there will be a greater chance that your maxillary sinus exposure will heal without further intervention.

### **Swelling**

Ice packs will help reduce the swelling but should never be placed directly on exposed skin. Rather, wrap an ice pack (or a package of frozen vegetables) in a damp towel and place gently on the sides of your face, 30 minutes on, 30 minutes off.

### **Nosebleeds**

Nosebleeds are normal and may occur for several days following surgery. Treat by leaning your head back; apply an ice pack and direct pressure. Drainage is normal from both the nose and mouth – wipe gently away.

### **Sneezing**

Try to avoid sneezing. If one comes on, sneeze through your mouth – don't pinch your nose.

### **Medication**

Start taking your prescribed pain medication before the freezing wears off; take as directed by your dentist.

Actifed or Sudafed can be purchased from your pharmacist. Take for one week as directed on the bottle to reduce sneezing and congestion.

### **Smoking**

Do not smoke at all during the first 72 hours after surgery to reduce your chances of having post-operative problems. Smoking can increase pain and lead to poor healing.

### **Blowing Your Nose**

Avoid blowing your nose. When necessary, gently sniff and wipe the end of your nose.